

Via Facsimile (703) 872-9306

9D-HR-20193-DIV
PATENT

IN THE CLAIMS

1. (Original) An ice maker comprising:

a mold comprising at least one cavity for containing water therein for freezing into ice;

a water supply comprising at least one valve for controlling water flow into said mold;

an ice removal heating element operationally coupled to said mold; and

an ice maker control system operationally coupled to said valve and said ice removal heating element and configured:

control said valve;

control said ice removal heating element; and

provide a signal to a refrigerator control system.
2. (Original) An ice maker in accordance with Claim 1 wherein said ice maker control system further configured to transmit to the refrigerator control system a signal that said valve is in an open state letting water flow into said at least one mold cavity.
3. (Original) An ice maker in accordance with Claim 1 wherein said ice maker control system further configured to transmit to the refrigerator control system a signal that said valve was in an open state letting water flow into said at least one mold cavity.
4. (Original) An ice maker in accordance with Claim 1 wherein said ice maker control system further configured to transmit to the refrigerator control system a signal that said ice removal heating element is energized.

Via Facsimile (703) 872-9306

9D-HR-20193-DIV
PATENT

5. (Previously presented) A refrigerator comprising:

a fresh food compartment;

a freezer compartment separated from said fresh food compartment by a mullion;

an ice maker positioned within said freezer cavity; and

a refrigerator control system configured to control a temperature of said freezer compartment and said fresh food compartment, said refrigerator control system configured to receive a signal from an ice maker control system.

6. (Original) A refrigerator in accordance with Claim 5 wherein said refrigerator control system configured to control the temperature of said freezer compartment based on the received signal.

7. (Original) A refrigerator in accordance with Claim 5 further comprising a fan positioned to move air in said freezer compartment, said refrigerator control system configured to control said fan based on the received signal.

8. (Previously presented) A refrigerator in accordance with Claim 5 further comprising a fan positioned to move air in said freezer compartment, said refrigerator control system configured to control said fan based on a signal representative of a user selected mode including a speed ice mode and a normal ice mode such that:

when the signal is representative of speed ice mode:

said fan is energized during cooling cycles, and

said fan is energized selectively during non-cooling cycles in
conjunction with predetermined ice make modes; and

Via Facsimile (703) 872-9306

9D-HR-20193-DIV
PATENT

when the signal is representative is normal ice mode:

said fan is energized during cooling cycles, and

said fan is de-energized during non cooling cycles.

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.